



USOM

Hybrid Wave Synthesizer

Soundbank Manual

Software Version 1.0

EN 180401

End User License Agreement (EULA)

////////////////////////////////////

Use of this product is subject to the acceptance of our End User License Agreement, available [here](#).

Table of Contents

Introduction	4
Interface	
Main Page and Globals	5
Edit Page	6
Mod Page	7
FX Page	8
Arp Page	9
Preset List	10
Oscillator Waveform List	12
Links	13
Credits and Thanks	14

Introduction



USQ-1

Digital-Analog Wave Synth

- Inspired by a cult-favorite '80s synthesizer workstation
- Explore 400 fully-editable presets or create your own
- Vintage hardware sounds with modern sound-shaping tools

INSPIRATION

The Ensoniq ESQ-1 is a special keyboard at UVI. Used by many on our team, including being a personal favorite of one of our founders, our USQ-1 had to be great. We've leveraged years of experience with this synth and put our hearts into creating a collection of sounds that we're proud of and that we're sure you'll enjoy.

Released in 1986, the Ensoniq ESQ-1 was one of the first affordably priced workstation-class keyboards on the market, combining an 8-voice, multitimbral digital/analog hybrid synthesizer and a featured 8-track sequencer. The ESQ-1's voice architecture allows customization of up to 3 digital oscillators, assignable to any one of 32 waveshapes, followed by a Curtis 4-pole 24dB/oct resonant low-pass analog filter and 15 routable modulation sources. The sound quality of the ESQ-1 is all-at-once digital, warm and unmistakably '80s - a true gem of the time whose sounds still ring with a brilliant depth and character.

INSTRUMENT

USQ-1 offers 268 selectable layers made from over 22,000 samples. To showcase the sonic potential we've included over 400 all-new patches including everything from rich bells, strings and leads to thick basses, textured pads and modulating atmospheres. The versatile design of the ESQ-1 allowed us to create both classic sounds that you'd expect from a vintage-era synth and also modern patches utilizing more contemporary sound design techniques. All-in-all these sounds ring with a special "vintage digital" vibe that synths of this era, and the ESQ-1 especially, do so well.

The sounds in USQ-1 are detailed and powerful. Every patch began with sound design on the original hardware and was recorded at our main studio through the highest-quality processors and converters available. You're not just hearing the output jacks of the synth, the entire signal chain was thoughtfully considered to create a rich and professional "finished record" sound that's both mix-ready and inspiring to play.

Included presets can easily be edited or you can build your own patches from scratch. Authentic sounds from the ESQ-1 are presented in a dual-layer architecture allowing for the design of two custom oscillators each with independent wave selection of 268 layers, ADSR amp, multi-mode filter with envelope, pitch, portamento, stereo, LFO, multi-step and modwheel modulation assignments and an arpeggiator. At the end of chain is a capable effect bus loaded with UVI's own processors, including a 3-band EQ, drive, chorus (Thorus), phaser, delay and reverb (Sparkverb) all with excellent sound-quality and a featherlight CPU footprint.

USQ-1 delivers that vintage digital magic that we fell in love with over 30 years ago: a bold and inspiring collection of sounds combining modern sound design technique with an unmistakable '80s flavor.

Ensoniq is trademark of its respective owners. UVI is not affiliated or endorsed by any entities listed here.

Minimum System Requirements

- Latest version of UVI Workstation or Falcon
- 6.72 GB of disk space

For more information on the installation process, please refer to the document: [Soundbank Installation Guide](#)

Main Page and Globals



USQ-1 is outfitted with 2 oscillators; Osc 1 and Osc 2. Both oscillators have independent selection of 268 OSC sounds, dedicated volume, pan, filters and envelope generators for amplitude and filter, and arpeggiators in the Arpeggiator page. Edit and Effects pages effect the summed signal of both oscillators while Modulation can be set to selectively target Osc 1 and/or 2.

1 ► Pages

- » **Main, Edit, Modulation, Effects and Arpeggiators**
Click to change the current control page

2 ► Global Volume

3 ► Global Presets

4 ► Oscillators

- » **OSC Power**
Turn OSC 1 and OSC 2 on/off
- » **OSC Sounds**
Select the OSC sound
- » **Volume**
Adjust the selected OSC layer's volume
- » **Pan**
Adjust the selected OSC layer's pan

5 ► Edit Layer

- Select Osc 1 or 2; presents discrete Signal, Amp Env, Filter and Filter Env controls

6 ► Amplitude

- » **Amplitude: ADSR**
Adjust the amplitude using a typical Attack, Decay, Sustain, Release envelope
- » **Amplitude: Velocity**
Toggle velocity on/off
- » **Amplitude: Vel > Atk**
When active, routes Velocity input to Amp Env: Attack

7 ► Filter

- » **Mode**
Select between LP, BP or HP filter shapes, or OFF to disable the filter
- » **Cutoff**
Set the filter cutoff frequency
- » **Resonance**
Set the filter resonance amount
- » **Velocity**
Set the filter's velocity sensitivity
- » **Depth**
Set the filter's depth amount
- » **ADSR**
Typical ADSR envelope for the Filter

Edit Page



1 Edit Layer

Select Osc 1 or 2; presents discrete controls for Pitch/Portamento, Stereo and Modwheel

2 Stereo

- » **Mode**
Off / Alternate Pan / Unison
- » **Spread**
Change the stereo width
- » **Detune**
Unison layer detune amount
[Unison mode only]
- » **Color**
Shifts color based on adjacent samples

3 Modwheel

- » **Power/Amount**
Easily route your controllers Modwheel to control common parameters such as Vibrato Rate, Tremolo Rate and Filter Depth

4 Pitch

- » **Octave**
Adjust the pitch in Octaves
- » **Semitone**
Adjust the pitch in Semitones

5 Portamento

- » **Mode**
Toggle between Mono and Poly voicing
- » **Depth**
Adjust the Portamento depth
- » **Time**
Set the Glide time

Modulation Page



1 ► Step Modulator

» Steps

Change the number of playable steps [1-16]

» Editor

Interactive editor for programming sequenced modulations; bar height equals mod amount

» Speed

Change the step duration [1/32 - 1/1]

» Delay

Delay time to activate first step

» Rise

Time to activate step with a smooth transition

» Average

Interpolates values between adjacent steps to smooth parameter modulation for a custom LFO effect

» Step Modulator Routing

Control the amounts of modulation to be applied to each or both Osc's Volume Amount, Filter Depth

2 ► LFO

» Speed

Change the LFO Speed

» Sync

Enable/Disable LFO sync to Host Tempo

» Waveshape

Choose LFO waveshape; Sine, Triangle, Square or Sample & Hold

» LFO Routing

Control the amount of LFO modulation to be applied to various parameters including; Pitch, Drive, Volume and Filter

» Mode

Change the LFO retrigger mode; Retrigger, No Retrigger or Legato

3 ► Modulation Targets

Set the target oscillator for the parameter modulation, Osc 1 and/or Osc 2

Effects Page



► Equalizer

- » **On/Off**
Turn the effect on/off
- » **Gain Low / Mid / High**
Adjust the gain boost or cut amount of each frequency band
- » **Frequency**
Set the crossover frequency point of Low/Mid or Mid/High band

► Drive

- » **On/Off**
Turn the effect on/off
- » **Amount**
Adjust the drive amount

► Thorus

- » **On/Off**
Turn the effect on/off
- » **Speed**
Adjust the chorus modulation speed
- » **Depth**
Adjust the chorus modulation depth

► Phasor

- » **On/Off**
Turn the effect on/off
- » **Speed**
Adjust the phaser modulation speed
- » **Feedback**
Adjust the phaser feedback amount
- » **Depth**
Adjust the phaser modulation depth


► Delay

- » **On/Off**
Turn the effect on/off
- » **Time**
Adjust the delay time
- » **Feedback**
Adjust the delay feedback amount
- » **LoCut**
Adjust the delay output's low-cut filter frequency
- » **HiCut**
Adjust the delay output's hi-cut filter frequency
- » **Mix**
Adjust the delay effect mix amount

► Sparkverb

- » **On/Off**
Turn the effect on/off
- » **Size**
Adjust the reverb room size
- » **Decay**
Adjust the reverb decay time
- » **Decay: LoMult**
Multiplies the decay time [-/+] for the low frequency signal
- » **Decay: HiMult**
Multiplies the decay time [-/+] for the high frequency signal
- » **Mix**
Adjust the reverb mix amount

Arpeggiators Page



1 ► Arp On/Off

Toggle the Arpeggiator On/Off

2 ► Mode

Select Up, Down, or Up and Down

3 ► Link

Switch to link two arpeggiators

4 ► Step Indicator

LED lights up when step is triggered

5 ► Step Editor

Freely draw note velocities

6 ► Tie

When active, step inherits Velocity from the previous step

7 ► Steps

Change the number of playable steps (1-16)

8 ► Speed

Change the step duration (1/32 - 1/1)

9 ► Gate

Change the step length (from zero to the tracks Resolution setting)

10 ► Octave

Set the pitch range in Octaves

Preset List

00-Init Mono
00-Init Stereo

Animated Arp

Arp and Go One
Arp and Go Two
Cajoline
Digital Indy
Eighties Pad Arpeggio 1
Eighties Pad Arpeggio 2
Keystation
Majestic Arp
Many Wheel
Noise A rus
Numeric World
Pad HH Seq
Peggio Organ
Perconga
Power Arp 1
Power Arp 2
Ravel Dream
Sequenced
Sobriety
Solo Arpanalog
Space Brassy
Stockholm
Sweet Heart
Tanguy Gerine
TV ARP
Vangela
Vinci Case
Wheel Filter
Wheel My Saw
Whistle Mania
Zap HH Seq

Animated Step

Basic Step Pad
Erikson Square
First One Wheel
Formanta
Growth Deep
Keys Gate
Kontrast
Main Gate
Men Ranking
Mission to Lars
Murphy Losof
Noise Hollow
OminouSteps
Place Carre
Pulsotronic
Reine Huit
Snapchat Room
Soft Asynchronous
Space Vicking
Step Amoy
Sweet
Windy Bawa

Bass

_Bass Template
Electrostatic
First Stack Bass
High Voltage
Imagine Nation
Lunar Clinton
Mellobass
Mode Depeche
Module Art
Obese City
Organ Hybrid
Organ Wheel
Pastorius
Phasor Nicard
Plastic Tramber
Poly Bass
Pure 80s Bass
Radical Phase
Screaming B
Sequence Industrial
Slap Aliasing
Slap Sub
Space Creature
Spirit of Noise
Square Face
Steady Sequence
Stereo Mono Mode 1
Stereo Mono Mode 2
Stereo Mono Mode 3
Sub Tyl
The Big One
Tun Low
USeQ-1 Bass 1
USeQ-1 Bass 2
USeQ-1 Bass 3
Wet Bass

Bells

_Bells Template
Bell Orchestral
Bell Pad
Creative Bells
Digital Baby
Digital Motive
Echosphere
Favor Step
High Density
Hybridation
La Fee
Little Metal
Louiseness
Magic Bells
Magnifique
Music Boxish
Noisy Belly
Park Bells
PPG Style
Prime Time
Rotating Bells
Stack Bells 1
Stack Bells 2
Steps and Bells
Synth Bells 1
Synth Bells 2
Theme
Thrillering
Under Pressure
Very Long One

Brass

_Brass Template
Analog Brass
Brass Attack
French Horns
Gogo Cage
Heavyness
Last Poet
Metal Brass
Ocean Bruise
Pulse Brass
Saxolo Drive
Second Time
Short Trumpets
Soft Metal Brass
Stack Orchestra
Steady Poly
Still Drass
Trumpet Cheese
Weird Brass
Wooble Brass
Xpanderish

Flute-Winds

_Flute Template
Bag Pipes
Basoon Oboe
Bit Chorus
Cool and Bell
Dirty Whistle
Double Flute
Flute
Frogger Lead
Glass Blown
Glass Flute
Hit Rise
Nile Five
Ocarina
Oriental Cheese
Saxoish
Tai Flute
Whistle
Windy Whistle

FX

Atonality
Galagac Mac
Hydroliquide
Little Scarabe
Little Zap Seq
Loco Motion
Low Pulse
Lunar Chaos
Madness Mod
Mind Control
Noise Fabric
Noiselead
Perc Sinergy
Pink Noise Mod
Pitch Mode
Plasmotron
Ring My Phone
Rythm Chaser 1
Rythm Chaser 2
Shocker
Sonic Ambient
Space Crickets
Space Disorder
Synth Wolf
THX Drunk
Time and Space
Tonal Noise Mood
Underwater
Unsecure
Zebulon

Preset List

Keys

_Clavinet Template
_Piano Template
Beauty Keys
Cold Keys
CP Like
Digital Piano
Drakeys
Electric Road 1
Electric Road 2
FM Grand
Hamm Road
Harpsichord
Hybrid Clav 1
Hybrid Clav 2
Mix Dirty
Movie of Balls
O Dyno
Orchestral Harpsi
Pseudo Acoustic
Pure Delicate
Sinister Piano
Stack Piano 1
Stack Piano 2
Synkeys
Yanni Cordy

Leads

_Lead Mono Template
_Lead Stereo Template
Analog Lead 1
Analog Lead 2
Analog Lead 3
Dirty Detune
Dirty Moogy
Flute Bawa
Funk Fusion 1
Funk Fusion 2
Funky Lead
Grade To Fay
Hardcastlead
Hybrid Bass Lead
Hyper Sync
Inclassable
Moog Planet
Originel Sin
OV Solo
Prologue
Rick Jam
Saturasync
Sax Cheezy
Sine Tereo
So Brassy
So Lead
Stereo Sync
Sync Five
Synth Attack
Teaser Vox
Tiny One
Tremo Zinor
Video Game
Voltage Lead
Wha Duck
Wheel F Town
Wheelead Power
Wind Beach

Organs

_Organ Template
Dark Animated
Fair Fiza
FM Organ
Full Island
Ice Organ
Kalimborgan
Large Creative
Organ Brown
Organ Piano
Park Organ
Perc Hammond
Phase Solasido
Space Church
Stack Organ
USQ Organ
Voice Organ

Pads

Altar Ago
Analog Pad
Detuned Pad
Fanta Pad
Full Drive Moon
Granulax
Hyper Cloud
Hyper Pad
In the Valley
Little Porta
Mayhem of Pads
Melanchony
Multi Diffusion
Nylon Pad
Ominous
OP NL
Opening
Orchestre Pad
Organicity
Pad 5 Pad
Padlin Pimpim
Padrone
Phase Arper
Plain Pad
PPG Pad
Prophet Pad
Relativity
Resurrection
Sael Landscape
Saw Pad
Sean Michael J
Seventh Element
Super Calm
Synth Pad
Thick Pad
Uranus
Wall Strings
Windy Soft Arp

Pluck

_Pluck Template
Bubble Pluck
Bwano
Cosmic
Dulcimer
Harp
Kalimba Bass
Koto Matic
Marimba
Phat Pluck
Pluckjo
Pop Corn X
Pop Tech Corn
SL Drum
Tokyo Tong
Toys Ground
Wheel Attitude
World Picked
Zither

Polysynth

_Polysynth Template
Analog Synth
Basic Synth
Blur Synth
Cindy Brassy
Dark Move
Detuned Astral
ESQ Synth
Fatty Mata
Fiddle
Hacker Env
Hang Over Synth
Hyper Poly Sync
In Da 80s
Kakemono
Large Saws
Moods
Obesity
Organ Feel
Poly Belly
Stack Echo
Synth Crossback
Transistor
Tremolog 1
Tremolog 2
Under Arp
Wheel Movement

Strings-Choirs

_Choirs Template
_Strings Template
Air Choirs
BN Strings
Bowrchestra
Cello Strings
Cello
FL Strings
High Res
Hymnovox
Juno Strings
Kick Voxing
Large Choirs
Litte Fairlight
Mixed
Noise Strings
Orchestal Arm
Orchestra
Piano Strings 1
Piano Strings 2
Post Choirs
Power Mello
Precise Strings
Slow Strings
Solina 1
Solina 2
Strings 1
Strings 2
Voice 1
Voice 2
Voicer

Sweeps

_Sweep Template 1
_Sweep Template 2
Hard Q Sync
Inverted Sync
Max Sweep
Noise Sweep
Phantom Ace
Phantom Two
Phase Sweep
Second Sweep
Steady Cam
Sweep Folder
Teasering
UVI Filter
Wheel Action
Whistle Base









Oscillator Waveform List

Bass	Flute-Winds	Pads	Strings-Choirs	Synth	Waveforms
Analog Bass	Bag Pipes	Altar Ago	Air Choirs	Analog Synth 1	01 Saw
Bawa Bass	Basoon	Analog Pad 1	BN Strings	Analog Synth 2	02 Bell
DV Bass	Bit Chorus	Analog Pad 2	Cello	Astral	03 Sine
Electric Bass 1	Cool	Analog Pad 3	Cello Strings	Basic Synth	04 Square 1
Electric Bass 2	Dirty Whistle	Detuned Pad	FL Strings	Blur Synth	05 Pulse
Electric Bass 3	Double Flute	Granulax	High Res	ESQ Synth	06 Noise 1
Electric Bass 4	Flute	Nylon Pad	Hymnovox	Fatty Mata	07 Noise 2
Fade to Gray	Frogger Lead	Ominous	Juno Strings	Fiddle	08 Noise 3
High Voltage	Glass Blown	Pad 5 Pad	Mixed	Funky Lead	09 Bass 1
Mini Mug 1	Glass Flute	PPG Pad	Noise Strings	Hacker Env	10 Piano
Mini Mug 2	Nile Five	Prophet Pad	Orchestra	Hyper Sync	11 Electric Piano
Mini Mug 3	Noisy Windy	Saw Pad	Piano Strings 1	Klunks	12 Voice 1
O Connor Bass	Oboe	Seventh Element	Piano Strings 2	Meaz Fifth	13 Voice 2
Slap Bass	Ocarina	Synth Pad	Slow Strings	Mini M	14 Kick
Style ARP	Saxoish	Wall Strings	Solina 1	Moods	15 Reed
Synth Bass 1	Taj Flute		Solina 2	Moog Planet	16 Organ
Synth Bass 2	Whistle		Strings 1	Moogy	17 Synth 1
TB Acid			Strings 2	Obesity	18 Synth 2
Upright Bass 1			Voice 1	Power Synth 1	19 Synth 3
Upright Bass 2			Voice 2	Power Synth 2	20 Formant 1
Vel Bass			Voicer	Saturasync	21 Formant 2
				Skinny Dirty	22 Formant 3
				Soft Synth	23 Formant 4
				Synth Attack	24 Formant 5
				Teaser Vox	25 Pulse 2
				Tint Lead	26 Square 2
				Treminsky	27 4 Octaves
				Vibrator	28 Prime
					29 Bass 2
					30 Electric Piano 2
					31 Octave
					32 Octave 5
Bells	Keys	Percussion	Sweep-FX		
Bell Pad	Bee Three	Claps 1	Bow Piano		
Bell Piano	Clavinet 1	Claps 2	Galagux		
Bell Whistle	Clavinet 2	Hihat 1	Hard Q Sync		
Bottles	Clavinet 3	Hihat 2	Horror Lynx		
Chime Onyx	Digital Piano 1	Kick 1	Hydrocarbure		
Echo	Digital Piano 2	Kick 2	Inverted Sync		
Pacard Bells	Digital Piano 3	Kick 3	Kwerk One		
Palace	Digital Piano 4	Kick and Simmons	Loco Motion		
Rack Bells	Digital Piano 5	Miraca	Lunar Chaos		
Random Bell	Electric Piano	Pop Conga	Max Sweep		
Rotary Bells	Fair Fiza	Shaker	Mind Control		
Steel Drums	FM Dip	Simmons	Phantom Ace		
Tri Bells	FM Organ	Snap	Pigs in Space		
Wave Bells	FM Piano 1	TDrum 1	Pink Noise Mod		
Xbells Bend	FM Piano 2	TDrum 2	Pitch Mode		
	Harpsichord	TDrum 3	Plasma		
	Hybrid Keys 1	TDrum 4	Ring Play		
	Hybrid Keys 2	Toms 1	Ring Whistle		
	Icy Organ	Toms 2	Rork FX		
	Island Organ		Second Temps		
	Klambo Clav		Sonar		
	Organ		Space Disorder		
	Organ Brown		Space Noise Gate		
	Organ Piano		Static Phone		
	Park Organ		Sweep Folder		
	Perc Hammond		Synth Wolf		
	Piano 1		THX Drunk		
	Piano 2		Underwater		
	Piano Bell		Z Plane		
	Pluck Piano		Zebulon 1		
	Power Piano		Zebulon 2		
	Rhodes 1				
	Rhodes 2				
	Rhodes 3				
	Stack ePiano				
	Steinway 1				
	Steinway 2				
	Tack Piano				
	Weird Wurlly				
Brass	Pluck				
3 Trumpets	Banjo				
Analog Brass	Bwano				
Brass Strings	Harp 1				
Epic Center	Harp 2				
Fifth Brass	Kalimba Bass				
French Horn	Koto				
Full Orchestra	Little Zap				
Heavy Brass	Marimba				
Metal Brass	Pop Tech Corn				
Pluck Brass	SL Drum				
Rave Horns	Tokyo Tong				
Saxophone 1	Toys Ground				
Saxophone 2	Zither				
Soft Synth Brass					
Trumpet					
Trumpet Strings					
Tuba					

Links

////////////////////////////////////

UVI

Home	uvi.net/ 
UVI Portal.	uvi.net/uvi-portal 
Soundbank Installation Guide	installing_uvi_soundbanks_en.pdf 
UVI Workstation User Guide	uviworkstation_user_guide_en.pdf 
Your Registered Product Serial Numbers and Download Links.	uvi.net/my-products 
FAQ	uvi.net/faq 
Tutorial and Demo Videos	youtube.com/ 
Support	uvi.net/contact-support 

iLok

Home	ilok.com/ 
iLok License Manager	ilok.com/ilm.html 
FAQ	ilok.com/supportfaq 

USOM

Hybrid Wave Synthesizer

Credits and Thanks

Produced by UVI

Recording / Editing / Sound Design

Frédéric Boyer
Antoine Denoyelle
Alain J Etchart
Kevin Guilhaumou
Floriane Palmkrantz
Damien Vallet

Software + Scripting

Rémy Muller
Olivier Tristan

GUI, Design

Anthony Hak
Nathaniel Reeves

Documents

Garrett DeMartinis
Nathaniel Reeves
Kai Tomita



UVI.NET